

ADHD Encounter Form

Today's Date: _____ Child's Name: _____ Age: _____

Sex: Male Female BD: _____ MR#: _____ Parent Name(s): _____

CPT Procedure Codes (Circle the codes that apply.)

Evaluation and Management (E/M)					
Office Consultations	New or Established Patients	Office Visits	New Patients	Office Visits	Established Patients
Focused	99241	Focused	99201	Minimal	99211
Expanded	99242	Expanded	99202	Focused	99212
Detailed	99243	Detailed	99203	Expanded	99213
Moderately complex	99244	Moderately complex	99204	Detailed/Moderately complex	99214
Highly complex	99245	Highly complex	99205	Highly complex	99215
Prolonged Face-to-Face Services	(Report in addition to E/M code.)				
Prolonged face-to-face service; first hour	99354	Prolonged face-to-face service; each additional half hour	99355		
Other Services					
Psychological testing, per hour 96100	Developmental testing; limited, per hour 96110	Developmental testing; extended, per hour 96111	Neurobehavioral status exam, per hour 96115	Individual psychotherapy (20-30 minutes) 90804	
Individual psychotherapy (45-50 minutes) 90806	Group psychotherapy 90853	Family psychotherapy 90846 or 90847	Team conference (30 minutes) 99361	Team conference (60 minutes) 99362	
Telephone consult 99371, 99372, or 99373	Home visit 99341-50	Group counseling with symptoms 99078			

CPT only ©2001 American Medical Association. All Rights Reserved.

ICD-9-CM Diagnosis Codes (Circle all codes that apply.)

ADHD and Counseling							
Condition	ICD-9-CM	Condition	ICD-9-CM	Condition	ICD-9-CM	Condition	ICD-9-CM
ADD w/out mention of hyperactivity	314.00	ADD with hyperactivity	314.01	Hyperkinesia w/ developmental delay	314.1	Hyperkinetic conduct disorder	314.2
Other specified manifestations of hyperkinetic syndrome	314.8	Unspecified hyperkinetic syndrome	314.9	Other specified counseling	V65.49	Mental and behavioral problems; other behavioral problems	V40.3

While every effort has been made to ensure the accuracy of this information, it is not guaranteed that this document is accurate, complete, or without error.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

CPT five-digit codes, nomenclature, and other data are copyright 2001 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in *CPT*. The AMA assumes no liability for the data contained herein.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



ADHD Encounter Form

Adverse Environmental Circumstances							
Condition	ICD-9-CM	Condition	ICD-9-CM	Condition	ICD-9-CM	Condition	ICD-9-CM
Lack of housing	V60.0	Inadequate	V60.1	Inadequate material	V60.2	Other specified housing or economic circumstances	V60.8
Counseling for parent-child problem, unspecified	V61.20	Parent-child problems; other	V61.29	Counseling for marital and partner problems, unspecified	V61.10	Health problems within family; other	V61.49
Health problems within family; other specified family circumstances	V61.8	Health problems within family; unspecified family circumstances	V61.9	Other psychosocial circumstances; unemployment	V62.0	Other psychosocial circumstances; legal circumstances	V62.5
Interpersonal problems, not elsewhere classified (NEC)	V62.81	Bereavement, uncomplicated	V62.82	Other psychological or physical stress, NEC; other	V62.89	Unspecified psychosocial circumstance	V62.9
Child neglect (nutritional)	995.52	Child sexual abuse	995.53	Child physical abuse	995.54	Perpetrator of child and adult abuse	E967.0–E967.9
Anxiety and Depression							
Organic anxiety syndrome	293.84	Major depressive disorder, single episode, unspecified	296.20	Major depressive disorder, single episode, mild	296.21	Major depressive disorder, single episode, moderate	296.22
Major depressive disorder, single episode, severe, without mention of psychotic behavior	296.23	Major depressive disorder, recurrent episode, unspecified	296.30	Major depressive disorder, recurrent episode, mild	296.31	Major depressive disorder, recurrent episode, moderate	296.32
Major depressive disorder, recurrent episode, severe, without mention of psychotic behavior	296.33	Anxiety state, unspecified	300.00	Panic disorder	300.01	Generalized anxiety disorder	300.02
Anxiety state; other	300.09	Phobia, unspecified	300.20	Social phobia	300.23	Other isolated or simple phobia	300.29
Neurotic depression	300.4	Separation anxiety disorder	309.21				
Externalizing or Disruptive Disorder: Conduct Problems, Oppositional Behavior, Aggression							
Nondependent abuse of drugs	305.00–305.93	Adjustment reaction; with predominant disturbance of conduct	309.3	Other specified disturbances of conduct, NEC; conduct disorder, childhood onset type	312.81	Other specified disturbances of conduct, NEC; conduct disorder, adolescent onset type	312.82
Unspecified disturbance of conduct	312.9	Oppositional disorder	313.81	Other specified counseling	V65.49	Observation for suspected mental condition; childhood or adolescent antisocial behavior	V71.02

While every effort has been made to ensure the accuracy of this information, it is not guaranteed that this document is accurate, complete, or without error.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

CPT five-digit codes, nomenclature, and other data are copyright 2001 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in CPT. The AMA assumes no liability for the data contained herein.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



ADHD Encounter Form

Learning Disorders and Disabilities							
Condition	ICD-9-CM	Condition	ICD-9-CM	Condition	ICD-9-CM	Condition	ICD-9-CM
Stammering and stuttering	307.0	Other and unspecified special symptoms or syndromes, NEC	307.9	Reading disorder, unspecified	315.00	Specific arithmetical disorder	315.1
Other specific learning difficulties	315.2	Developmental language disorder	315.31	Receptive language disorder (mixed)	315.32	Developmental speech or language disorder; other	315.39
Coordination disorder	315.4	Unspecified delay in development	315.9	Mild mental retardation	317	Moderate mental retardation	318.0
Severe mental retardation	318.1	Profound mental retardation	318.2	Unspecified mental retardation	319	Lack of coordination	781.3
Mental and behavioral problems; problems with learning	V40.0	Mental and behavioral problems; problems with communication (including speech)	V40.1	Other psychosocial circumstances; educational circumstances	V62.3		
Other Diagnoses							
Infantile autism, current or active state	299.00	Other specified early childhood psychoses, current or active state	299.80	Tic disorder, unspecified	307.20	Transient tic disorder of childhood	307.21
Gilles de la Tourette disorder	307.23	Stereotyped repetitive movements	307.3				

Physician's Signature _____ Date _____

ADHD <i>DSM-IV</i> Coexisting Conditions			
Circle all criteria in each section that apply, then check boxes for diagnosis.			
INTERNALIZING DISORDERS			
Generalized Anxiety Disorder		<i>DSM-IV 300.02</i>	
Excessive and persistent worries ≥ 6 months duration affecting multiple activities and events and manifest if 3 of 6:		Other Anxiety Disorders	
1. Restlessness, feeling keyed up, on edge		Other isolated or specific phobia <i>DSM-IV 300.29</i>	
2. Being easily fatigued		Separation anxiety disorder <i>DSM-IV 309.21</i>	
3. Difficulty concentrating, mind going blank		Anxiety state, unspecified <i>DSM-IV 300.00</i>	
4. Irritability			
5. Muscle tension			
6. Sleep disturbance			
Major Depressive Disorder		<i>DSM-IV 296.20–296.36</i>	
≥ 5 of 9 criteria almost every day for 2 weeks with at least depressed mood or loss of interest or pleasure:		Other Depression Disorders	
1. Depressed mood or irritable by subjective report or observation		Neurotic depression <i>DSM-IV 300.4</i>	
2. Markedly diminished interest or pleasure in all or almost all activities		Brief depressive reaction <i>DSM-IV 309.0</i>	
3. Weight loss/gain without dieting		Depressive disorder, NEC <i>DSM-IV 311</i>	
4. Insomnia or hypersomnia almost every day		Bereavement, uncomplicated <i>DSM-IV V62.82</i>	
5. Psychomotor agitation or retardation			
6. Fatigue or energy loss			
7. Feelings of worthlessness or excessive guilt			
8. Diminished ability to think or concentrate			
9. Recurrent thoughts of death or suicide			

While every effort has been made to ensure the accuracy of this information, it is not guaranteed that this document is accurate, complete, or without error.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

CPT five-digit codes, nomenclature, and other data are copyright 2001 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in *CPT*. The AMA assumes no liability for the data contained herein.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



ADHD Encounter Form

EXTERNALIZING DISORDERS		
Oppositional Defiant Disorder	DSM-IV 313.81	Other Disorders
A pattern of negative, hostile, defiant behavior for ≥ 6 months causing impairment and ≥ 4 of 8:	<ol style="list-style-type: none"> 1. Often loses temper 2. Often argues with adults 3. Often defies or refuses to comply 4. Often deliberately annoys people 5. Often blames others for mistakes, misbehavior 6. Is often touchy or easily annoyed 7. Is often angry and resentful 8. Is often spiteful 	Adjustment reaction; with predominant disturbance of conduct <i>DSM-IV 309.3</i>
Other Specified Disturbances of Conduct, NEC	DSM-IV 312.8	Other Disorders
A repetitive and persistent pattern in which the basic rights of others and norms are violated with 3 criteria in past 12 months, 1 in past 6 months:	<p>Aggression to people and animals</p> <ol style="list-style-type: none"> 1. Often bullies, threatens, or intimidates others 2. Often initiates physical fights 3. Has used a weapon that can cause serious harm (bat, brick, broken bottle, knife, gun) 4. Has been physically cruel to people 5. Has been physically cruel to animals 6. Has stolen while confronting a victim (mugging, extortion, armed robbery) 7. Has forced someone into sexual activity <p>Destruction of property</p> <ol style="list-style-type: none"> 8. Has deliberately engaged in fire setting 9. Has deliberately destroyed other's property <p>Deceitfulness or theft</p> <ol style="list-style-type: none"> 10. Has broken into someone's house, car 11. Often lies to obtain goods or favors 12. Has stolen <p>Serious violation of the rules</p> <ol style="list-style-type: none"> 13. Stays out despite parental prohibition 14. Has run away overnight more than once 15. Is often truant 	Intermittent explosive disorder <i>DSM-IV 312.34</i> Adjustment reaction; with mixed disturbance of emotions and conduct <i>DSM-IV 309.4</i>

MENTAL RETARDATION OR LEARNING DISABILITIES			
Mental Retardation			
Mild mental retardation	<i>DSM-IV 317</i>	Profound mental retardation	<i>DSM-IV 318.2</i>
Moderate mental retardation	<i>DSM-IV 318.0</i>	Unspecified mental retardation	<i>DSM-IV 319</i>
Severe mental retardation	<i>DSM-IV 318.1</i>		
Learning Disabilities or Problems			
Reading disorder, unspecified	<i>DSM-IV 315.00</i>	Other developmental or language disorder	<i>DSM-IV 315.39</i>
Specific arithmetical disorder	<i>DSM-IV 315.1</i>	Developmental language disorder	<i>DSM-IV 315.31</i>
Other specific learning difficulties	<i>DSM-IV 315.2</i>	Receptive language disorder (mixed)	<i>DSM-IV 315.32</i>
Unspecified delay in development	<i>DSM-IV 315.9</i>	Other and unspecified special symptoms or syndromes, NEC	<i>DSM-IV 307.9</i>
Coordination disorder	<i>DSM-IV 315.4</i>	Stammering and stuttering	<i>DSM-IV 307.0</i>

OTHER	OTHER (Specify)
Infantile autism, current or active state <i>DSM-IV 299.00</i>	
Gilles de la Tourette disorder <i>DSM-IV 307.23</i>	
Stereotyped repetitive movements <i>DSM-IV 307.3</i>	

While every effort has been made to ensure the accuracy of this information, it is not guaranteed that this document is accurate, complete, or without error. The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

CPT five-digit codes, nomenclature, and other data are copyright 2001 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in *CPT*. The AMA assumes no liability for the data contained herein.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality

